

Printing date 23.01.2017 Revision: 23.01.2017

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: 8070 - Erni A Stockflecken-Entferner

Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the preparation: Removing of mould stains on stamps.

Uses advised against: No further information available.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LINDNER Falzlos-Gesellschaft mbH

Rottweiler Str. 38 D-72355 Schömberg Fon: +49 (0) 7427 701-0 Fax: +49 (0) 7427 6118 Email: info@lindner-original.de Internet: http://www.lindner-original.de

Further information obtainable from: LINDNER Falzlos-Gesellschaft mbH

Emergency telephone number:

Fon: +49 (0) 7427 701-0 Fax: +49 (0) 7427 6118 Email: info@lindner-original.de

(während der Geschäftszeiten / during business hours)

2 Hazards identification

Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008:



GHS09 environment

Aguatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Label elements:

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:





GHS07

GHS09

Signal word: Warning **Hazard statements:**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Revision: 23.01.2017 Printing date 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 1)

Precautionary statements:

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children. P103 Read label before use.

Wear protective gloves / eye protection / face protection. P280

Avoid release to the environment. P273

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7722-64-7 potassium permanganate 1-<2.5%

EINECS: 231-760-3 (Ox. Sol. 2, H272; (STOT RE 2, H373; (Skin Corr. 1C, H314; (Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ◆ Acute Tox. 4,

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures:

General information: Immediately remove any clothing soiled by the product. After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Firefighting measures

Extinguishing media:

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters:

Protective equipment: Do not inhale explosion gases or combustion gases.

(Contd. on page 3)





Printing date 23.01.2017 Revision: 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective clothing.

Ensure adequate ventilation.

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Protection of hands: Protective gloves

Material of gloves:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

(Contd. on page 4)





Printing date 23.01.2017 Revision: 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties:

General Information:

Appearance:

Form: Fluid Colour: Violet

Odour: Characteristic
Odour threshold: Not determined.

pH-value at 20 °C: 7.8

Change in condition:

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

Flash point: Not applicable.
Flammability (solid, gas): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. Upper: Not determined.

Vapour pressure at 20 °C: 23 hPa

Density:Not determined.Relative density:Not determined.Vapour density:Not determined.Evaporation rate:Not determined.

Solubility in / Miscibility with

water: Fully miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

Other information: No further relevant information available.

10 Stability and reactivity

Reactivity: No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. on page 5)





Printing date 23.01.2017 Revision: 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 4)

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects:

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

7722-64-7 potassium permanganate

Oral LD50 1090 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal considerations

Waste treatment methods:

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)



Printing date 23.01.2017 Revision: 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 5)

14 Transport information

UN-Number:

ADR, IMDG, IATA UN3082

UN proper shipping name:

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (POTASSIUM PERMANGANATE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (POTASSIUM PERMANGANATE), MARINE

POLLUTANT

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (POTASSIUM PERMANGANATE)

Transport hazard class(es):

ADR, IMDG, IATA



Class: 9 Miscellaneous dangerous substances and articles.

Label: 9

Packing group:

Marine pollutant:

ADR, IMDG, IATA

Environmental hazards: Product contains environmentally hazardous substances:

potassium permanganate Symbol (fish and tree) Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree) **Special marking (IATA):** Symbol (fish and tree)

Special precautions for user: Warning: Miscellaneous dangerous substances and articles.

Danger code (Kemler): 90
EMS Number: F-A,S-F

Segregation groups: Permanganates

Stowage Category
Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ): 5L
Transport category: 3
Tunnel restriction code: E

UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (POTASSIUM

PERMANGANATE), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture: REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)





Printing date 23.01.2017 Revision: 23.01.2017

Trade name: 8070 - Erni A Stockflecken-Entferner

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints:

Employees who use the product have to be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.,

Department issuing SDS:

ADEEGO GmbH

Wildsteig 4A

D-42113 Wuppertal

Tel. +49 (0) 202 2575700

Fax. +49 (0) 202 2575701 Email: mail@adeego.de

www.adeego.de

Contact: Dr. Axel Deeg

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2